Curriculum Vitae

Last update:



Personal Information

First Name: Mahnaz Last Name: Jabraeili

Title: Assistant Professor of Nursing Education

Department: Pediatric

Nationality: Iranian

Date of Birth: 1971

Place of Birth: Ahar

Address: Department of Pediatric Nursing, School of Nursing

and Midwifery, Shariati Street, Tabriz, Iran

Phone No.:00989141106684

Email: jabraeilim@gmai.com/ jabraeilim@tbzmed.ac.ir/

jebreilim@yahoo.com

Researcher IDs

Google scholar ID: https://scholar.google.com/citations?user=sESduooAAAAJ&hl=en

Scopus ID: https://www.scopus.com/authid/detail.uri?authorId=57193081470

Academic Qualifications

B.s of Nursing (umia University of Medical Sciences, Iran)

M.Sc. of Nursing Pediatric (Iran University of Medical Sciences, Iran)

Ph.D. in Nursing (Tabriz University of Medical Sciences, Iran)

Field of interests (or the major research areas)

Family Centered Care

Pain in Neonate and Children

Evidence-based practice in infants and children

Professional Membership: (Administrative or executive Experience ...)

Educational supervisor of Imam Khomeini Hospital, Tabriz,

Responsible for the student advisor system

Head of the Education Development Office of the Faculty of Nursing and Midwifery

Head of the children's Department

Membership in scientific societies and committees

Scientific Association of Pediatric Nursing of Iran

Teaching Experience

Healthy child

Nursing of children's diseases

Neonatal Nursing

Examination of children's health status

Principles of special care for newborns (1),(2)

Introduction to newborn nursing

Nursing theory and concepts

Research Projects

- Nurses' attitudes towards individual and organizational barriers in hand hygiene in the neonatal ward of Tabriz
- > The effect of topical chamomile ointment on the improvement of diaper dermatitis of the infants suffering from gastroenteritis: double blind random clinical trial

- > The effect of school-based interventions on the life skills of middle school students regarding drug abuse
- > The relationship between knowledge and performance of nurses in vascular access in infants
- > Psychological Responses and fathers' Supportive Needs of hospitalize Infants in neonatal Intensive Care
- > The effect of Cholesterom Mouthwash on Oral Care and Prevention of Secondary Sepsis in Premature hospitalized infants: randomized controlled clinical trial
- > The effect of mother's supportive interventions on preterm infant stress during swaddle bath: randomized controlled clinical trial
- Factors Influencing In Maternal Self-Efficacy of Infant Care in the 29 Bahman Hospital
- Comparison of Gentle Human Touch and Massage Techniques, Field, on urine cortisol hormon in preterm infants.
- Nurses' knowledge and attitude about palliative care for children and its implementation obstacles in medical training centers affiliated to Tabriz University of Medical Sciences
- ➤ Parental knowledge about child maltreatment and its effects on children
- ➤ Knowledge, Attitude and Practice of Hand Washing among Mothers of Children With Gasteroenteritis in Tabriz Children Medical Center
- ➤ The Effect of Empowerment Program on Anxiety and Attachment in Infants of Mothers With Digestive Anomalies :A Randomized Controlled Clinical Trail
- ➤ The Relationship Between Received Support With Mothers Stress and Self Confidence in The Infants Undergoing Gastrointestinal Surgery in NICU
- ➤ The Comparison of Effect of Simulation and Educational Film on Self- Efficacy of mothers in Bathing Preterm Infants: Randomized Control Clinical Trial Study
- The effect of the care program in maintaining the integrity of the nasal skin of premature babies treated with "Continuous positive airway pressure ventilation through the nose"
- ➤ Eeffect of Kangaroo Mother Care on Satisfaction and Experience of Cesarean Mothers and Bilirubin Level in Term Neonates: A Randomized Controlled Clinical Trial
- > Comparison of the Effect of Two Methods of distraction and Acupressure on the Severity of Pain of venipuncture in children with Cancer: A randomized controlled clinical trial
- > The effect of multisensory stimulation care program on the amount of pain caused by eye examination in infants with retinopathy: a randomized controlled clinical trial.
- > Comparison of the effect of the smell of breast milk and vanilla on the response to pain caused by venous blood sampling in premature infants: a randomized controlled clinical trial.

- Comparison of the Effect of Booklet and Role-Playing on Mother's Knowledge and Perception of Self-Efficacy Regarding Infant Pain Management: Quasi-Experimental Study
- > Effect of body position on NCPAP-induced pain in preterm infants: a crossover design clinical trial
- > The relationship between parental perception and satisfaction with family-centered care experience in neonatal intensive care unit
- ➤ Safety Culture and Safe Practices of NICU Nurses-Tabriz-IRAN
- > The Effect of Patterned Sound on Oxygen Saturation in Preterm Infants: Randomized Double-Blind Clinical Trial
- > Effect of light reduction in infants' sleep in the NICU Tabriz, Randomized Control Clinical Trial
- > The effect of bathing in bathtub on physiological parameters in preterm infants: randomized clinical trial
- > Comparison early outcomes intermittent gavage push and gravity in preterm infants :randomized clinical trial
- > Comparison of swaddling and oral sucrose on Naso-gastric pain while tube insertion in premature infants: a crossover clinical trial
- > Factors predicting the developmental status of one-year-old children with a history of preterm birth and hospitalization in the NICU
- > Comparison of the effect of elbow and wrist restraint on the clinical outcomes of children under mechanical ventilation admitted to the pediatric intensive care unit: A crossover randomized clinical trial study
- > Designing and Implementation of Pain Management Program in Neonatal Intensive Care Unit: An Action Research

Thesis (Supervisor or Advisor)

- > The effect of topical chamomile ointment on the improvement of diaper dermatitis of the infants suffering from gastroenteritis: double blind random clinical trial
- > Psychological Responses and fathers' Supportive Needs of hospitalize Infants in neonatal Intensive Care
- > The effect of mother's supportive interventions on preterm infant stress during swaddle bath: randomized controlled clinical trial
- Factors Influencing In Maternal Self-Efficacy of Infant Care in the 29 Bahman Hospital
- ➤ Knowledge, Attitude and Practice of Hand Washing among Mothers of Children With Gasteroenteritis in Tabriz Children Medical Center
- ➤ The Effect of Empowerment Program on Anxiety and Attachment in Infants of Mothers With Digestive Anomalies :A Randomized Controlled Clinical Trail
- ➤ The Relationship Between Received Support With Mothers Stress and Self Confidence in The Infants Undergoing Gastrointestinal Surgery in NICU

- ➤ The Comparison of Effect of Simulation and Educational Film on Self- Efficacy of mothers in Bathing Preterm Infants: Randomized Control Clinical Trial Study
- The effect of the care program in maintaining the integrity of the nasal skin of premature babies treated with "Continuous positive airway pressure ventilation through the nose"
- ➤ Effect of Kangaroo Mother Care on Satisfaction and Experience of Cesarean Mothers and Bilirubin Level in Term Neonates: A Randomized Controlled Clinical Trial
- ➤ Comparison of the Effect of Two Methods of distraction and Acupressure on the Severity of Pain of venipuncture in children with Cancer: A randomized controlled clinical trial
- > Comparison of the effect of the smell of breast milk and vanilla on the response to pain caused by venous blood sampling in premature infants: a randomized controlled clinical trial.
- > Comparison of the Effect of Booklet and Role-Playing on Mother's Knowledge and Perception of Self-Efficacy Regarding Infant Pain Management: Quasi-Experimental Study
- Effect of body position on NCPAP-induced pain in preterm infants: a crossover design clinical trial
- > The relationship between parental perception and satisfaction with family-centered care experience in neonatal intensive care unit
- ➤ The Effect of Patterned Sound on Oxygen Saturation in Preterm Infants: Randomized Double-Blind Clinical Trial
- > The effect of bathing in bathtub on physiological parameters in preterm infants: randomized clinical trial
- > Comparison of swaddling and oral sucrose on Naso-gastric pain while tube insertion in premature infants: a crossover clinical trial
- > Factors predicting the developmental status of one-year-old children with a history of preterm birth and hospitalization in the NICU
- > Designing and Implementation of Pain Management Program in Neonatal Intensive Care Unit: An Action Research

Training Course (Participant or Speaker)

Pain management in children

Family Centered Care

Research (introduction. Aims, variables)

Honors and awards

International journal editors or reviewers

Reviewers in journal of caring sciences

Reviewers in Nursing Practice Today

Reviewers in American Journal of Perinatology

Presentation in seminars, conferences and congresses (Oral or Poster)

- Relationship between emotional intelligence and clinical competences of nursing students
- Development state of one-year-old children with the history of hospitalization
- ➤ Association hospitalization event in NICU with development state of under one year-old
- The effect of body position on pain and physiological indices due to nasal continuous positive airway pressure (CPAP) in premature
- > Comparison of the effect of two supine and fetal position on pain due to nasal continuous positive airway pressure (NCPAP) in premature neonates: a cross-over clinical trial
- Mothers' Emotional Experiences Providing Care for Their Infants Within the Culture of an Iranian Neonatal Unit
- The effect of the supportive program on the anxiety of mothers of infants with gastrointestinal anomalies
- Mother's support in NICU: A Focused Ethnographic Study
- ➤ Mutual Trust in Infant Care: The Nurses and Mothers Experiences
- The effect of sleep deprivation in nursing shifts
- ➤ Discharge plan to care for premature babies at home
- Examining the characteristics of infants with esophageal atresia
- Respiratory problems in babies
- > The relationship between coping behaviors of children with epilepsy and cognition
- > from illness
- ➤ The impact of AIDS on children's puberty
- ➤ Helping children cope with natural disasters
- Causes of seizures in children hospitalized in Tabriz Children's Hospital
- The relationship between behavioral patterns and self-concept in children with chronic diseases

- ➤ The concept of pain from children's point of view through drawing
- ➤ The effect of body position on the residual volume of gavage of premature infants
- > Pain assessment tool in infants
- Women's adverse experiences of natural childbirth: a phenomenological study
- > Self-concept in children with epilepsy and asthma
- The effect of the kangaroo care method on the physiological indicators of premature babies
- > Stressful experiences of mothers of newborns hospitalized in NICU
- > Investigating the relationship between therapeutic interventions and hospital infections in hospitalized children
- Adaptation practices of mothers of children with cancer
- ➤ A child with cancer's understanding of his chronic illness
- > The effectiveness of school-based intervention
- Program on self-esteem in peer group
- ➤ The effect of skin massage on the physiological indicators of premature babies
- > Students' views on the duties and performance of supervisors
- Mothers' health beliefs about underlying factors and prevention
- Diarrhea of hospitalized children
- Fever in children: Is the performance of mothers appropriate?
- Prevention of nosocomial pneumonia in hospitalized children
- ► Hand hygiene and prevention of hospital infections in NICU
- Mothers' knowledge, attitude and practices regarding acute respiratory infections in children in Tabriz

Published Articles

- > The relationship between coping behavior patterns and knowledge of the disease in children with epilepsy in primary schools in Tabriz
- > Breastfeeding and factors related to it in infants hospitalized in children's educational and therapeutic center
- > Physiological response of the baby to pain before, during and after the painful position
- Self-concept in children with epilepsy and asthma
- Physiological indicators of premature babies in two Kangaroo and conventional methods
- > Sources of stress from the point of view of mothers of babies hospitalized in the intensive care unit

- ➤ The effect of school-based interventions on the ability of middle school students to say no to drug use in Maragheh city in the academic year of 2018-2018
- Relationship between entertainment pattern and body mass index in primary school students of Tabriz city
- Factors related to unfavorable growth of children aged 6 to 24 months in Tabriz city
- The effect of body position on the residual volume of gavage of premature infants
- The effect of skin massage on physiological indicators and outcomes of premature babies
- ➤ Duties and performance of supervisors from the perspective of students
- Mothers experience of having a preterm infant in NICU
- The effect of vanilla smell in response to pain caused by venous blood sampling
- > Comparison of the effect of swaddling method on the amount of pain caused by nasogastric tube insertion
- The effect of the smell of breast milk on the response to pain caused by venous blood sampling
- ➤ Effect of oral sucrose on pain caused by nasogastric tube placement
- ➤ Comparison of Manual and Electronic Methods of Nursing Records
- The effect of swaddling on the physiological indicators of pain caused by nasogastric tube placement
- ➤ Obstacles to observing hand hygiene from the point of view of nurses in neonatal wards
- The effect of swaddling on the physiological indicators of pain caused by nasogastric tube placement
- Relationship between emotional intelligence and professional socialization of nursing students
- > Comparison of breast milk odor and vanilla odor on mitigating premature infants' response to pain during and after venipuncture
- Relationship between Emotional Intelligence and Clinical Competencies of Nursing Students in Tabriz Nursing and Midwifery School
- Nurses' Knowledge Regarding Hand Hygiene and Its Individual and Organizational Predictors
- ➤ Effects of Breast Milk and Vanilla Odors on Premature Neonate's Heart Rate and Blood Oxygen Saturation During and After Venipuncture
- Attitude towards child abuse among mothers referring health centers of Tabriz
- Comparison of Manual and Electronic Methods of Nursing Record: A Nurse's Perspective
- Predictive Factors of Maternal Self-Efficacy in Care of the Infants Hospitalized in Tabriz 29 Bahman Hospital Affiliated to Social Security Organization
- > The effect of bathing in a tub on the body temperature of premature infants: a randomized controlled clinical trial

- > Comparing the effects of chamomile and calendula ointment on diaper dermatitis
- ➤ Investigating safe performance in neonatal intensive care units
- Examining patient safety culture in special care units
- The effect of bathing in a tub on weight gain of premature infants: a randomized controlled clinical trial
- ➤ The Effect of Recorded Mum's Lullaby and Brahm's Lullaby on Oxygen Saturation in Preterm Infants: a Randomized Double-Blind Clinical Trial
- Effect of olive oil massage on weight gain in preterm infants: A randomized controlled clinical trial
- Parents' Attitude Toward Child Abuse Conducted in the Health Centers of Tabriz
- Cumulative Stressors in Preterm Infants Hospitalized in Neonatal Intensive Care Units
- ➤ Effects of Gentle Human Touch and Field Massage on Urine Cortisol Level in Premature Infants: A Randomized, Controlled Clinical Trial
- ➤ The Efficacy of a Protocolized Nursing Care on Nasal Skin Breakdown in Preterm Neonates Receiving Nasal Continuous Positive Airway Pressure
- > Stress in the mothers of infants with congenital gastrointestinal anomalies
- ➤ The impact of support programs on attachment of mothers of infants with gastrointestinal disorders: A randomized controlled clinical trial
- > Impact of skin-to-skin care on satisfaction and experience of cesarean mothers: A randomized, double-blinded clinical trial
- ➤ The Effect of Body Position on Pain Due to Nasal Continuous Positive Airway Pressure (CPAP) in Premature Neonates: A Cross-Over Clinical Trial Study
- ➤ Comparison of 2 Methods of Light Reduction on Preterm Infants' Sleep Pattern in NICU: A Randomized Controlled Trial
- ➤ The effect of field massage on urinary cortisol levels
- > Determination and comparison of stomach residual volume at two alternate gavage ways with gravity and injection force in premature infants
- Correlation of Perceived Nursing Support with Stress and Self Confidence Among the Mothers of Infants with Congenital Gastrointestinal Anomalies
- Mothers' Emotional Experiences Providing Care for Their Infants Within the Culture of an Iranian Neonatal Unit

- ➤ Effects of Aloe Vera Gel versus Chamomile Ointment on the Extent of Diaper Dermatitis in Children: A Double-Blind Randomized Controlled Trial
- > The effect of the supportive program on the anxiety of mothers of infants with gastrointestinal anomalies
- ➤ Mutual trust in infant care: the nurses and mothers experiences
- Nursing care in a child with coronavirus disease 2019: a case study
- > The effect of supportive program on maternal self-confidence in caring of infants with gastrointestinal anomalies: A randomized clinical trial
- > The role of mothers during painful procedures on neonates: A focused ethnography
- ➤ Health care staff support for mothers in NICU: a focused ethnography

Published Books			